

United States Patent and Trademark Office

United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS

P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/090,802	03/06/2002	Andre Maartens	02814.0054 6653	
7590 10/06/2004			EXAMINER	
Finnegan, Henderson, Farabow,			FORTUNA, ANA M	
Garrett & Dunner, L.L.P. 1300 I Street, N.W. Washington, DC 20005-3315			ART UNIT	PAPER NUMBER
			1723	·

DATE MAILED: 10/06/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		10/090,802	MAARTENS ET AL.			
		Examiner	Art Unit			
		Ana M Fortuna	1723			
Period	The MAILING DATE of this communication app for Reply	pears on the cover sheet with the	correspondence address			
TH - E - II - II - F	E MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.1 fter SIX (6) MONTHS from the mailing date of this communication. The period for reply specified above is less than thirty (30) days, a reply NO period for reply is specified above, the maximum statutory period value to reply within the set or extended period for reply will, by statute my reply received by the Office later than three months after the mailing arned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be ting within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	ys will be considered timely. If the mailing date of this communication. ED (35 U.S.C. § 133).			
Status						
1)[Responsive to communication(s) filed on	_				
2a)[action is non-final.				
3)[3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Dispos	sition of Claims	in purio daylo, loco c.b. It, a				
41						
4) Claim(s) is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration.						
5)[Claim(s) is/are allowed.	WIT HOLL COUSINGLATION.				
	6)☐ Claim(s) is/are allowed. 6)☐ Claim(s) is/are rejected.					
ı	Claim(s) is/are objected to.					
_	Claim(s) are subject to restriction and/or	r election requirement.				
Applic	ation Papers					
9)☐ The specification is objected to by the Examiner.						
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11)[11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority	under 35 U.S.C. § 119					
12)[Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a))-(d) or (f).			
a) ☐ All b) ☐ Some * c) ☐ None of:						
1. Certified copies of the priority documents have been received.						
	2. Certified copies of the priority documents		on No			
	3. Copies of the certified copies of the prior	ity documents have been receive	ed in this National Stage			
	application from the International Bureau	• • • •				
4	See the attached detailed Office action for a list of	of the certified copies not receive	ed.			
Attachm		· ·				
1) No 2) No	tice of References Cited (PTO-892) tice of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary Paper No(s)/Mail Da	· · · · · · · · · · · · · · · · · · ·			
3) 🔲 Inf	ormation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Der No(s)/Mail Date		atent Application (PTO-152)			

U.S. Patent and Trademark Office PTOL-326 (Rev. 1-04)

Page 2

DETAILED ACTION

Claim Rejections - 35 USC § 112

- 1. Regarding claims 17, 41, 42 the phrase "such as" renders the claim indefinite because it is unclear whether the limitations following the phrase are part of the claimed invention. See MPEP § 2173.05(d).
- 2. Claim 41, 44 provides for the use of a water purification system, but, since the claim does not set forth any steps involved in the method/process, it is unclear what method/process applicant is intending to encompass. A claim is indefinite where it merely recites a use without any active, positive steps delimiting how this use is actually practiced.

Claims 41, 44 are rejected under 35 U.S.C. 101 because the claimed recitation of a use, without setting forth any steps involved in the process, results in an improper definition of a process, i.e., results in a claim which is not a proper process claim under 35 U.S.C. 101. See for example *Ex parte Dunki*, 153 USPQ 678 (Bd.App. 1967) and *Clinical Products, Ltd.* v. *Brenner*, 255 F. Supp. 131, 149 USPQ 475 (D.D.C. 1966).

5. Claim 35-36 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. In claim 35, the term "under conventional system operations", is unclear as to what conditions are intended. Claim 36 is also unclear as depending on claim 35.

Art Unit: 1723

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1, 2, 3, 6, 7, 10-12, 28, 30, 31, 35, 37, 39, 40-46 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bond et al (6,161,435) (hereinafter Bond). Bond teaches a unit or system for monitoring fouling of a membrane, the unit contains the membrane (19), and inlet and outlets for the feed permeate and retentate respectively (14, 24, 23), the membrane is provided on a support (21). (Fig. 1, column 4, line 39, through column 5, lines 1-28). As to claim in claim 39, the fouling of the membrane is controlled by means of an ultrasonic measurement system that employs high frequency "sound waves" (column10, lines 52-64). The system of Bond is not adapted with the inspection window as claimed in claims 1-2, 30. Bond, however, teaches the inspection window (optical prove) as conventional and provided in the membrane chamber or housing that holds the membrane, and which provide information about fouling only on the outer portion of the membrane, living the interior portion of the membrane without being inspected (column1, last paragraph). It would have been obvious to one skilled in the art at the time the invention was made to provide a membrane housing with the inspection window as disclosed in Bond, if only detecting the fouling of the outer surface of the membrane is intended. It would have been

Application/Control Number: 10/090,802

Art Unit: 1723

between the plates.

5.

further obvious to one skilled in the art at the time the invention was made to provide the membrane system with both fouling detecting means, e.g. the window and sound waves, as disclosed in Bond, e.g. to obtain a better information about the actual degree of fouling of the membrane.

Regarding claims 3, 6, 7, 10-12 Bond discloses the membrane as spiral

wound or hollow fiber membrane, which are operated in cross flow mode (figures 1 and 3, column 6, lines 39). The support of 6, 7, 10-12, are also shown by the discussed figures, and further by figure 16, elements 127, 128.

As to claim 28, the vessel or housing material, and the top bottom plates and spacer location are disclosed by bond (column 12, lines 52-59, column 18, lines 19-31). As to claim 29, the position of the window at any section of the housing wall is disclosed in Bond (column 1, lines 60-62). It would have been obvious to one skilled in the art at the time the invention was made I a housing defined between top and bottom plates, to place the window in that area of the housing

As to claim 31, reverse osmosis membranes, e.g. TFC are conventionally operated within the claimed pressure range, e.g. 720 psi. It would have been obvious to one skilled in the art at the time the invention was made to monitor the module at conventional or normal operating pressures during the process.

As to claim 35, the using the system in water purification and monitoring the system during filtration is disclosed by Bond (column 1, lines 20-29, column 5, lines 10-28).

Art Unit: 1723

As to claim 37,Bond discloses the spaces as not sealed to the membrane (Fig3). Claim 39 has been discussed above. Regarding claim 40, maintaining constant pressure and flow rate (column 7, lines 60-65). Claims 41-44 is directed to the process of using the system discussed above in water purification, which is also disclosed by Bond, and also discussed with reference to claim 31.

6. Claims 18-20, 21, 22, 23, 32, 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bond et al. (6,161,435)(hereinafter Bond) as applied to claims 1,2, 3, 6, 7, 10-12, 18, 30, 34, 35, 37, 39, 40-44 above, and further in view of Zeiher et al (6,017,459)(hereinafter Zeiher). Regulating pressure and flow in the devise or unit of Bond is disclosed, however, providing the unit with the controlling valves and pump is not show in the figure drawings. Reference to Zeiher ('459), discloses a membrane or reverse osmosis unit provided within a housing and provided with valves and pressure control means (Fig 4, element 30 and conduits 42, 43, 44, connected to a pump and pressure gauges in each conduit. as claimed in claims 18-20, as to claims 32033, using a membrane provided with inspection window for detecting fouling in connection with a membrane disposed within a housing is disclosed by Zeiher, the membrane with the window of prove is positioned between the feed tank and the operating membrane (element 10, Fig. 4).(column 1, first paragraph, and lines 37-47). The description of the apparatus 10, including window 21 for detecting film formation on the membrane is disclosed in the reference (column5, lines 10-39). It would have been therefore, obvious at the time the invention was made to use sample

Application/Control Number: 10/090,802

Art Unit: 1723

membrane devices including membranes for detecting the level of fouling or contaminants on a membrane surface, and further connect the membrane to other membranes in operation to predict the level of contamination that can be expected during the process and properly control the parameters maintaining the membrane good operation conditions, e.g. cleaning, pressure and flow rte, as suggested by Zeiher. Using the system of Bond in combination with second membrane systems to predict the fouling of a secondary system will have been obvious based on the suggestion of Zeiher, a the time the invention was made.

7. Claims 24, 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bond et al. (6,61,435)(hereinafter Bond) as applied to claims 1,2, 3, 6, 7, 10-12, 18, 30, 34-35, 37, 39, 40-44 above, and further in view of Pearl et al (5,599,447) (hereinafter Pearl). Reference to Bond fails to disclose providing the membrane with a manifold. Pearl teaches inlets to a membrane having support and provided between plates, the manifolds and provided in the inlet and exit conduits (column 3, lines 22-39), the manifolds are designed to provide a better control of pressure drop with the membrane (tangential or cross-flow) system (column 1, lines 1-35). and last paragraph bridging column 2, lines 1-5). In a system as shown in Fig. 1 of reference to Bond, it would have been obvious to one skilled in the art at the time the invention was made to provide the inlet and outlet conduits with manifolds allowing better fluid distribution in the unit, as suggested by Pearl.

Application/Control Number: 10/090,802

Art Unit: 1723

Allowable Subject Matter

- 8. Claims 16, 17, 34 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 9. The following is a statement of reasons for the indication of allowable subject matter: the position of the window, and the combination of the filter monitoring structure with a second separation system, e.g. for monitoring membrane conditions in a separate unit, in not disclosed or suggested in the prior art of record.

Conclusion

- 10. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Additional references cited represent the state of the art in membrane visual inspection. References 4,218,313, 4,818,385, and 3,703,959 teach inspection windows, transparent for visualizing membrane or filters behavior, and measuring filtering parameters during the process..
- 9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ana M Fortuna whose telephone number is (571) 272-1141. The examiner can normally be reached on 9:30-6:00 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wanda L. Walker can be reached on (571) 272-1151. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Page 8

Art Unit: 1723

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is

Ana M Fortuna
Primary Examiner
Art Unit 1723

AMF October 04 2004

(703) 308-0661.